

ELCORING

LUXURY VINYL TILE

LVT DRY BACK CATALOGUE

WWW.ARTIGIANODESIGN.COM








Contents







01

02

03

Introduction

Features

Designs

LVT/APC Series are inspired by the nature, elegantly designed and expertly constructed, and redefines vinyl flooring for the modern home with an exceptionally realistic timber finish.

Flexible, durable and extremely water-resistant, can be installed in different areas.




01 Introduction





Product Structure



- Top UV coating, anti-bacterium, easy to maintain, no waxing needed;
- Latest calendaring technology, strengthen the product stability;
- Diamond crystal beats added in the top coating, increases the scratchiness;
- Ture color printing technology, presents the natural timber look to the maximum.



02 Features



Quality lies in the details



Eco-friendly

100% Virgin ABS material,latest technology,Better stability,More sustainable.



Waterproof

Adopting high-density dewatering technology.

Tightly sealed by advanced technology, 100% waterproof,

Mildew proof



Resilient and ultra abrasion-resistant

High-purified wear-resistant diamond crystals added in the top layer Passed the wear resistance test AC4 (3800 rpm) far beyond European standard Elastic and resilient, well recovered under the impact of heavy objects





New Technology, Better Design

Realistic and Vivid

Color

Texture

Color

Natural, elegant, precise, smooth, good performance in color fastness

Texture

Classical aesthetics, modern interpretation, Deep emboss, three-dimensional effect





03 Design





SHADOW OF CHARM CLASSIC COLOR


Charming Timeless

Hundreds of designs available

LVT FLOOR, selects 10 best sellers from hundreds of wood designs, 6 best selling stone colors, 6 popular carpet colors, realistic wood texture, classic yet timeless, suitable for a variety of places.

















































Code: 85002 Code: 85003













Code: 85005




Code: 85006














Code: 89002



Code: 89003



Code: 89004



Code: 89005



Technical Data



Specification	Test Standard
op com com	1 000 0 001 1001 0

		-
尺寸 Dimension	EN 427	7.25" x 48"、12" *24" 、18" *18"
总厚度 Overall Thickness	EN 428	3mm
耐磨层厚度 Wwar Layer Thickness	EN 429	0.3mm、0.5mm
重量 Total weight	EN 430	5.5kg/m²
密度 Density	EN 437	1800±50kg/m³
而t麻 Wear resisting	EN 13329	3800转 (0.3mm AC4)
耐磨 Wear-resisting	EN 660-2	Т
尺寸稳定性 Dimensional Stability&Curling on Exposure to Heat	EN 434	收缩≤0.15%、翘起≤1.2mm
残余压痕 Residual indentation	EN 433	≤0.10mm
色固度 Light stability	ISO 105 B02	≥class 6
防滑性能 Slip Resistance(Dry)	DIN 51130	R9
防火性 Reaction to fire	EN 13501-1	B1
吸音性 Sound Reduction	DIN 52210	5dB
层间剥离强度 Peeling Strength	EN 431	≥80N
抗静电性 Electrical Resistance	EN1081 method C	Pass
防污性能 Effects of Stain	EN 423	Pass
转轮椅适用性 Castor chair resistance	EN 425	no effect













Contact@HCArtigiano.com HCArtigiano.com

217 N Westmonte Dr Ste 2000, Altamonte Springs FL 32714







HC ARTIGIANO LLC

www.ArtigianoDesign.com **ADDRESS: 217 N WESTMONTE DR STE** 2000, ALTAMONTE SPRINGS, FL 32714 USA





H2 EMPREENDIMENTOS ADDRESS: Salgado filho, 2120 Sala 1303 **Guarulhos - SP** CEP:07115-000 **BRASIL**



CABINETS CO., LTD

www.OwenCabinets.net ADDRESS: LOT A-38-CN, D3 STREET BAY BANG IP, LAI UYEN TOWN. **BINH DUONG PROVINCE VIETNAM**





ADDRESS: ROOM 1003, 10/F., 1 LIPPO **CENTRE 89 QUEENSWAY ADMIRALTY - HONG KONG**





FUJIAN PROVINCES CHUANG XIN WOOD INDUSTRY LIMITED

www.FujianWood.com ADDRESS: XINCHUAN INDUSTRIAL PARK OF CHUANSHI TOWN JIANOU, FUJIAN CHINA



