



THOR
K I T C H E N[®]

THOR KITCHEN APPLIANCES

AUTHORIZED DEALER

KITCHEN APPLIANCES
CATALOGUE

WWW.ARTIGIANODESIGN.COM





CRAFTING **HIGH END** SPACES: BOOST YOUR PROJECT'S WORTH WITH **THOR APPLIANCES** AT THE HEART OF EVERY HOME YOU BUILD

Welcome to our comprehensive catalog designed for distinguished developers specializing in the development of high-end residences. At **Artigiano Design**, we recognize the critical role the kitchen plays in defining the overall appeal of a home. Our catalog showcases a curated selection of **premium kitchen appliances**, and as **authorized dealers for Thor** – a renowned brand in innovative kitchen solutions – we offer an opportunity for construction companies to enhance the value of their projects.

By integrating **Thor's** high-end kitchen appliances into your developments through Artigiano Design, you're not just selecting products; you're making an investment in quality and sophistication. Thor's commitment to excellence is reflected in every appliance, ensuring durability and exceptional performance. This strategic collaboration adds a distinctive touch to your projects, contributing to their market desirability and elevating the overall perceived value.

In the realm of luxury real estate, the inclusion of **premium features is paramount**. Choosing Artigiano Design and Thor as your preferred suppliers empowers construction companies to deliver residences that transcend expectations. **The incorporation of Thor appliances is more than a functional upgrade; it's a strategic decision to enhance the overall appeal and value of your projects.** Our commitment is to provide solutions that align with the elevated standards of your clientele, ensuring that their investment reflects nothing short of excellence.



ARTIGIANO DESIGN

KITCHEN APPLIANCES

THOR
KITCHEN®

TABLE OF CONTENTS

THOR KITCHEN APPLIANCES

RANGES

VENTILATION

COOKTOPS

RANGETOPS

BUILT-IN OVENS

MICROWAVES

DISHWASHERS

REFRIGERATION

WINE COOLER





KITCHEN APPLIANCES

THOR
KITCHEN

RANGES

Power and control are two things of which every professional chef and inspired home entertainer can never have enough. With revolutionary features, enough surface space to welcome even the largest parties, and a seamless design, Hyxion ranges turn up the heat on what is possible.



TILT PANEL SERIES ▼



Tilt Panel

Touch to tilt or flatten the control panel for a customizable cooking experience that offers flexibility and control of cooktop and oven settings



Air Fry

Create healthier and mouthwatering meals using the air fry feature.



Automatic Reignition Feature

Automatic reignition feature relights an extinguished flame for safer cooking



Self-cleaning

The self-cleaning cycle uses high temperature to power through soils in the oven cavity, requiring only a quick wipe down at the end of the cycle.

TRG3001 - 30" GAS RANGE

KEY SPEC

Product Dimension: 29 7/8" W *27 3/5" D *(35 3/5-36 7/8)" H
 Fuel type:NG/LPG
 Black Porcelain Drip Pan
 Automatic Electric Ignition For Burners
 Total burner quantity: 4
 Right Front:15,000 BTU Dual Burner
 Left Front:15,000 BTU Dual Burner
 Right Rear:9,000 BTU Single Burner
 Left Rear:9,000 BTU Single Burner

OVEN

Control Panel :Tilt panel to control oven
 Oven capacity :4.8 Cu. Ft.
 Oven color : grey porcelain with white dots
 Top broil burner :10,000BTU Bottom bake burner : 18,500BTU
 Up to 12h delay start, timer and child lock functions,self clean,Sabbath mode.
 5 cooking modes incl. Bake, Conv. Bake, Conv. Roast, Broil and Keep Warm
 Oven light qty :1, rear
 Convection Fan: 1
 Voltage :120V , Frequency : 60HZ
 Certificate : CSA



TRG3601- 36" GAS RANGE

KEY SPEC

Product Dimension: 35 7/8" W *27 3/5" D *(36-39)"H
 Fuel type:NG/LPG
 Black Porcelain Drip Pan
 Automatic Electric Ignition For Burners
 Total burner quantity: 6
 Right Front:15,000 BTU Dual Burner
 Left Front:15,000 BTU Dual Burner
 Center Front:18,000 BTU Burner
 Right Rear:12,000 BTU Single Burner
 Left Rear:12,000 BTU Single Burner
 Center Rear:6,000 BTU Burner

OVEN

Control Panel :Tilt panel to control oven
 Oven capacity :6.0 Cu. Ft.
 Oven color : grey porcelain with white dots
 Top broil burner :13,500BTU Bottom bake burner : 18,500BTU
 Rear Heater:800W
 Up to 12h delay start, timer and child lock functions,self clean,Sabbath mode.
 6 cooking modes incl. Bake, Conv. Bake, Conv. Roast, Broil,Air Fry and Keep Warm
 Oven light qty :1, rear / Convection Fan: 1
 Voltage :120V , Frequency : 60H / Certificate : CSA



TRE3001- 30" ELECTRIC RANGE

KEY SPEC

Product Dimension: 29 7/8" W *27 3/5" D *(36-39)" H
 Fuel type:Electric
 Black Polished plate glass-ceramics cooktop
 Hot surface light on when the temp over 65°C(150°F)
 5 elements
 Right Front:9"/12"Dual Element,3000W (1800W+1200W)
 Left Front:6"/9"Dual Element,3000W (1500W+1500W)
 Right Rear:6",1200W
 Left Rear:6",1200W
 Center:7",100W Warming zone

OVEN

Control Panel :Tilt panel to control oven
 Oven capacity :4.8 Cu. Ft.
 Oven color : Grey porcelain with white dots
 Broil Heater Power :3500W Bake Heater Power : 3000W
 Rear Heater:800W
 Up to 12h delay start, timer and child lock functions,self clean,Sabbath mode.
 6 cooking modes incl. Bake, Conv. Bake, Conv. Roast, Broil,Air Fry and Keep Warm
 Oven light qty :1, rear
 Convection Fan: 1
 Voltage :240V , Frequency : 60HZ
 Certificate : CSA



TRE3601 - 36" ELECTRIC RANGE

KEY SPEC

Product Dimension: 35 7/8" W *27 3/5" D * (36-39)"H
 Fuel type: Electric / Color: Stainless steel / Construction: freestanding
 Black Polished plate glass-ceramics cooktop
 The burner is silver printed on the glass
 Hot surface light on when the temp over 65°C(150°F)
 5 elements
 Right Front:9"/12"Dual Element,3000W (1800W+1200W)
 Left Front:6"/9"Dual Element,3000W (1500W+1500W)
 Right Rear:6",1200W / Left Rear:6",1200W
 Center:7",100W Warming zone

OVEN

Control Panel :Tilt panel to control oven
 Oven capacity :6.0Cu. Ft.
 Oven color : Grey porcelain with white dots
 Broil Heater Power :3500W Bake Heater Power : 3500W
 Rear Heater:800W
 Up to 12h delay start, timer and child lock functions,self clean,Sabbath mode.
 6 cooking modes incl. Bake, Conv. Bake, Conv. Roast, Broil,Air Fry and Keep Warm
 Oven light qty :1, rear / Convection Fan: 1
 Voltage :240V , Frequency : 60HZ / Certificate : CSA





CONTEMPORARY SERIES ▼



LED Display Screen

LED display screen, oven function button operation.



Large Oven Windows

Large oven windows makes it easy to check on cooking food without opening the oven door.



Heavy Duty Control Knobs

Heavy duty, heavy duty ABS silver colored knobs add style and durability



Multiple Cooking Modes

Multiple cooking modes including bake, broil, air fry and proofing give you the flexibility you need to create masterful meals

CRG3004 - 30" GAS RANGE

KEY SPEC

Product Dimension: 29 7/8" W *27 3/5" D *(35 3/5-36 7/8)" H
 Fuel type:NG/LPG
 Black Porcelain Drip Pan
 Total burner quantity: 4
 Right Front:18,000 BTU Burner
 Left Front:12,000 BTU Burner
 Right Rear:3,500 BTU Burner
 Left Rear:9,000 BTU Burner

OVEN

Control Panel : Button and LCD panel to control oven
 Oven capacity :4.8 Cu. Ft.
 Oven color : grey porcelain with white dots
 Top broil burner : 13,500BTU Bottom bake burner : 18,500BTU
 Up to 12h delay start, timer and child lock functions
 5 cooking modes incl. Bake, Conv. Bake, Conv. Roast, Broil and Keep Warm
 Oven light qty :1, rear
 Convection Fan: 1
 Voltage :120V , Frequency : 60HZ
 Certificate : CSA



CRG3606- 36" GAS RANGE

KEY SPEC

Product Dimension: 29 7/8" W *27 3/5" D *(35 3/5-36 7/8)" H
 Fuel type: NG/LPG
 Black Porcelain Drip Pan
 Total burner quantity: 6
 Right Front:12,000 BTU Burner
 Center Front:18,000 BTU Burner
 Left Front:12,000 BTU Burner
 Right Rear:9,000 BTU Burner
 Center Rear:12,000 BTU Burner
 Left Rear:9,000 BTU Burner

OVEN

Control Panel : Button and LCD panel to control oven
 Oven capacity :6.0 Cu. Ft.
 Oven color : grey porcelain with white dots
 Top broil burner : 13,500BTU Bottom bake burner : 18,500BTU
 Up to 12h delay start, timer and child lock functions
 5 cooking modes incl. Bake, Conv. Bake, Conv. Roast, Broil and Keep Warm
 Oven light qty :1, rear
 Convection Fan: 1
 Voltage :120V , Frequency : 60HZ
 Certificate : CSA



CRE3004- 30" ELECTRIC RANGE

KEY SPEC

Product Dimension: 29 7/8" W *27 3/5" D *(35 3/5-36 7/8)" H
 Fuel type: Electric
 Black Polished plate glass-ceramics cooktop
 Hot surface light on when the temp over 65°C(150°F)
 4 elements
 Right Front:12" Element,3000W
 Left Front:6"/9"Dual Element,3000W (1500W+1500W)
 Right Rear:6",1200W
 Left Rear:6",1200W

OVEN

Control Panel : Button and LCD panel to control oven
 Oven capacity :4.8 Cu. Ft.
 Oven color : Black porcelain with white dots
 Broil Heater Power : 3500W Bake Heater Power : 3000W
 Up to 12h delay start, timer and child lock functions
 5 cooking modes incl. Bake, Conv. Bake, Conv. Roast, Broil and Keep Warm
 Oven light qty :1, rear
 Convection Fan: 1
 Voltage :240V , Frequency : 60HZ
 Certificate : CSA



CRE3605 - 36" ELECTRIC RANGE

KEY SPEC

Product Dimension: 29 7/8" W *27 3/5" D *(35 3/5-36 7/8)" H
 Fuel type: Electric
 Black Polished plate glass-ceramics cooktop
 The burner is silver printed on the glass
 Hot surface light on when the temp over 65°C(150 °F)
 5 elements
 Right Front:9"/12"Dual Element,3000W (1800W+1200W)
 Left Front:6"/9"Dual Element,3000W (1500W+1500W)
 Center Rear:6",1200W
 Right Rear:6",1200W

OVEN

Control Panel : Button and LCD panel to control oven
 Oven capacity :6.0 Cu. Ft.
 Oven color : Black porcelain with white dots
 Broil Heater Power : 3500W Bake Heater Power : 3500W
 Up to 12h delay start, timer and child lock functions
 5 cooking modes incl. Bake, Conv. Bake, Conv. Roast, Broil and Keep Warm
 Oven light qty :1, rear
 Convection Fan: 1
 Voltage :240V , Frequency : 60HZ
 Certificate : CSA



TRANSITIONAL SERIES ▼



High-powered Btu Burners

The high-powered 18,000 BTU burner provides fast, intense heat for creating large family meals and restaurant-quality dishes



Dual-concentric Oven Knob

provides one-handed control of both oven mode and temperature. Two knobs in one let you first choose Bake, Broil or Convection, then select the temperature. Responsive backlighting confirms settings are correct or alerts you to needed adjustments.



Porcelain Spill Tray

Single-piece black porcelain spill tray catches the mess and makes cleanup easy



Storage Space

Storage drawer provides additional storage space for cooking trays and other kitchen utensils.

LRG2401 - 24" GAS RANGE

KEY SPEC

Product Dimension: 23 7/8" W *27 3/5" D * (35 3/5-36 7/8)" H
 Fuel type: NG/LPG
 Black porcelain drip pan
 2pcs heavy duty cast-iron cooking grates
 Total burner quantity: 4
 Right Front:18000BTU Left Front:12000BTU
 Right Rear:3500BTU Left Rear:9000BTU
 5pcs high quality knobs

OVEN

Oven capacity :3.73 Cu. Ft.
 Oven color : Black porcelain
 Broil burner:10000BTU
 Bake burner:12000BTU
 Convection fan
 Oven light qty :1, rear
 2 chrome plated racks
 Voltage :110-120V , Frequency : 60HZ
 Certificate : CSA



LRG3601U- 36" GAS RANGE

KEY SPEC

Product Dimension: 36"Wx27½"Dx(35 3/5-36 7/8)" H
 Fuel type: NG/LPG
 Black porcelain drip pan
 Heavy duty continuous cast iron cooking grates
 Total burner quantity: 6
 2 single burner x 18000BTU
 2 single burner x 12000BTU
 2 single burner x 9000BTU
 7pcs high quality knobs

OVEN

Oven Capacity: 6.0 Cu.ft
 Oven broil burner:10,000 BTU
 Oven bottom burner: 18,500 BTU
 Gray porcelain oven interior with white dots
 Commercial convection fan
 2 pcs black porcelain oven racks
 1 pc halogen oven interior light
 Storage drawer
 Voltage :110-120V , Frequency : 60HZ
 Certificate : CSA



LRG3001U- 30" GAS RANGE

KEY SPEC

Product Dimension: 30"Wx27½" Dx(35 3/5-36 7/8)" H
 Fuel type: NG/LPG
 Black porcelain drip pan
 Heavy duty continuous cast iron cooking grates
 Total burner quantity: 5
 Front left Burner:18,000BTU
 Front right Burner:8,000BTU
 Center Oval Burner: 9,000BTU
 Rear left burner:6,000BTU / Rear right burner:4,000BTU
 6pcs high quality knobs

OVEN

Oven Capacity: 4.8 Cu.ft
 Oven broil burner:10,000 BTU
 Oven bottom burner: 18,500 BTU
 Gray porcelain oven interior with white dots
 Commercial convection fan
 2 pcs black porcelain oven racks
 2 pcs halogen oven interior lights
 Voltage :110-120V , Frequency : 60HZ
 Certificate : CSA



LRG4807U- 48" GAS RANGE

KEY SPEC

Product Dimension: 48"Wx27½" Dx(35 3/5-36 7/8)" H
 Fuel type: NG/LPG
 Black porcelain drip pan
 Cooking grate:3*flat cast iron grates
 Total burner quantity: 6
 2 single burner x 18000BTU
 2 single burner x 12000BTU
 2 single burner x 9000BTU
 1*15 000 BTU Built In Stainless Steel Griddle
 9pcs high quality knobs

30" OVEN18" OVEN

4.8 cu.ft oven capacity/2.2 cu.ft oven capacity
 Oven broil burner: 1 x 10,000BTU/Bottom burner: 1 x 14000 BTU
 Oven bottom burner: 1 x 2200BTU
 Gray oven interior with white dots
 Commercial convection fan for 30" Oven Only
 1 pc halogen oven interior lights For 30" Oven
 1 pc halogen oven interior lights For 18" Oven
 Voltage :110-120V , Frequency : 60HZ
 Certificate : CSA





LRG6001 - 60" GAS RANGE

KEY SPEC

- I Product Dimension: 59 7/8" W * 27 3/5" D *(35 3/5-36 7/8)" H
- I Fuel type: NG/LPG
- I Black Porcelain Drip Pan
- I 3*flat cast iron grates+ 2* removable cast iron griddle
- I Total burner quantity: 8
- I Right Front:18,000 BTU Burner
- I Right Rear:3,500 BTU Burner
- I Center Right Front: 12,000BTU
- I Center Right Rear: 12,000BTU
- I Left Center :9,000 BTU Oval Burner
- I Right Center :9,000 BTU Oval Burner
- I Left Front:18,000 BTU Burner
- I Left Rear:12,000 BTU Burner

2*30 INCH OVEN

- I I Dual-Concentric Oven Knob
- I I Oven capacity :4.8 Cu. Ft.+4.8 cu/ft
- I I Oven color : grey porcelain with white dots
- I I Top broil burner :13,500BTU Bottom bake burner : 22,000BTU
- I I Up to 12h delay start, timer and child lock functions
- I 5 cooking modes incl. Bake, Conv. Bake, Conv. Roast, Broil and Keep Warm
- Oven light qty :1, rear
- Voltage :120V , Frequency : 60HZ
- Certificate : CSA





LUXURY SERIES ▼



Automatic Reignition Feature

Automatic reignition feature relights an extinguished flame for safer cooking



Luxglide™ Telescopic Racks

Telescopic racks use ball bearing rack guides for an effortless glide in and out of the oven. This luxury feature allows the rack to extend fully without tipping over for smooth, easy handling of even the heaviest dishes, and adjusts to fit different rack support levels



Led Control Panel Lights

When in operation, the LED control panel lights illuminate a striking blue for an added pop of color



Brilliant Blue Porcelain Interior

The brilliant blue porcelain interior adds a bold, stylish touch to your professional range



EXCLUSIVELY DESIGN FOR HRG SERIES



Infrared Broiler

Infrared gas flame broiler radiates heat evenly to sear your food and seal in the juices

HRG3080U- 30" GAS RANGE

KEY SPEC

Product Dimension: 59 7/8" W *27 3/5 " D * (35 3/5-36 7/8)" H
Fuel type: NG/LPG / Black Porcelain Drip Pan
3" flat cast iron grates+ 2" removable cast iron griddle
Total burner quantity: 8
Right Front:18,000 BTU Burner
Right Rear:3,500 BTU Burner
Center Right Front: 12,000BTU / Center Right Rear: 12,000BTU
Left Center :9,000 BTU Oval Burner
Right Center :9,000 BTU Oval Burner
Left Front:18,000 BTU Burner / Left Rear:12,000 BTU Burner

OVEN

Oven Capacity: 4.2 Cu.ft
Oven broil burner:13,000 BTU
Oven bake burner: 22,000 BTU
Blue porcelain oven interior
Commercial convection fan
2 pcs halogen oven interior lights
Fuel:NG/LPG
Electrical Requirements: 120V/60Hz/15 or 20A
ICSA certificated



RG3618U- 36" GAS RANGE

KEY SPEC

Product Dimension: 36"Wx27½"Dx39"H
Fuel type:NG/LPG
Automatic Electric Ignition For Burners / Black porcelain drip pan
Heavy duty continuous cast iron cooking grates
Total burner quantity: 6
2*15 000 BTU Dual Burner
1*18 000 BTU Single Burner
3*12 000 BTU Single Burner
Control knobs quantity: 7pcs zinc knob
Distinctive blue LED lights illuminate when burner use

30" OVEN

Oven Capacity: 5.2 Cu.ft
Oven broil burner:16,500 BTU
Oven Bake burner: 22,000 BTU
Blue porcelain oven interior
Commercial convection fan
2 pcs halogen oven interior lights
Fuel:NG/LPG
Electrical Requirements: 120V/60Hz/15 or 20A
ICSA certificated



HRG4808U - 48" GAS RANGE

KEY SPEC

Product Dimension: 48"Wx27½"Dx39"H
Fuel type: NG/LPG
Automatic Electric Ignition For Burners / Black porcelain drip pan
Heavy duty continuous cast iron cooking grates
Total burner quantity: 6
3*15 000 BTU Dual Burner / 3*18 000 BTU Single Burner
1*15 000 BTU Built In Stainless Steel Griddle
Control knobs quantity: 9pcs zinc knob
Distinctive blue LED lights illuminate when burner use

30" OVEN 18" OVEN

Oven Capacity: 4.2 Cu.ft
Oven Capacity: 2.5 Cu.ft
Oven broil burner:16,500 BTU
Tube Stove burner: 14,000 BTU
U-shaped Stove burner: 22,000 BTU
Blue porcelain oven interior / Commercial convection fan for 30" Oven Only
2 pcs halogen oven interior lights For 30" Oven
1 pc halogen oven interior lights For 18" Oven
Fuel:NG/LPG
Electrical Requirements: 120V/60Hz/15 or 20A
ICSA certificated





EXCLUSIVELY DESIGN FOR HRD SERIES



Energy Efficient Heating

Heating Element distributes heat evenly for excellent broiling and baking

HRD3088U- 30" DUAL FUEL RANGE

KEY SPEC

- Product Dimension: 30"Wx27½"Dx39"H
- Fuel type:NG/LPG
- Automatic Electric Ignition For Burners / Black porcelain drip pan
- Heavy duty continuous cast iron cooking grates
- Total burner quantity: 4
- 1*15 000 BTU Dual Burner
- 1*18 000 BTU Single Burner
- 2*12 000 BTU Single Burner
- Control knobs quantity: 5pcs zinc knob
- Distinctive blue LED lights illuminate when burner use

OVEN

- Oven Capacity: 4.2 Cu.ft
- Oven broil burner:3500W
- Oven bake burner: 800W(top)+3000W(bottom)
- Blue porcelain oven interior
- Commercial convection fan
- 2 pcs halogen oven interior lights
- Fuel:NG/LPG For Cooktop and Electricity for Oven
- Electrical Requirements: 240V/60Hz
- ICSA certificated



HRD3606U- 36" DUAL FUEL RANGE

KEY SPEC

- Product Dimension: 36"Wx27½"Dx39"H
- Fuel type:NG/LPG
- Automatic Electric Ignition For Burners / Black porcelain drip pan
- Heavy duty continuous cast iron cooking grates
- Total burner quantity: 6
- 2*15 000 BTU Dual Burner
- 1*18 000 BTU Single Burner
- 3*12 000 BTU Single Burner
- Control knobs quantity: 7pcs zinc knob
- Distinctive blue LED lights illuminate when burner use

OVEN

- Oven Capacity: 5.2 Cu.ft
- Oven broil burner:3500W
- Oven bake burner: 800W(top)+3000W(bottom)
- Blue porcelain oven interior
- Commercial convection fan
- 2 pcs halogen oven interior lights
- Fuel:NG/LPG For Cooktop and Electricity for Oven
- Electrical Requirements: 240V/60Hz
- ICSA certificated



HRD4803U- 48" DUAL FUEL RANGE

KEY SPEC

- Product Dimension: 48"Wx27½"Dx39"H
- Fuel type:NG/LPG
- Automatic Electric Ignition For Burners / Black porcelain drip pan
- Heavy duty continuous cast iron cooking grates
- Total burner quantity: 6
- 3*15 000 BTU Dual Burner
- 3*18 000 BTU Single Burner
- 1*15 000 BTU Built In Stainless Steel Griddle
- Control knobs quantity: 9pcs zinc knob
- Distinctive blue LED lights illuminate when burner use

30" OVEN

- Oven Capacity: 4.2 Cu.ft
- Oven broil burner:3500W
- Oven bake burner: 800W(top)+3000W(bottom)

18" OVEN

- Oven Capacity: 2.5 Cu.ft
- Oven bake burner: 2500W

- Blue porcelain oven interior
- Commercial convection fan for 30" Oven Only
- 2 pcs halogen oven interior lights For 30" Oven
- 1 pc halogen oven interior lights For 18" Oven
- Fuel:NG/LPG For Cooktop and Electricity for Oven
- Electrical Requirements: 240V/60Hz
- ICSA certificated





EXCLUSIVELY DESIGN FOR HRE SERIES



True Convection Fan

The true convection fan blows heat from the 800W heating element for more even heating and optimum cooking and baking results

HRE2401- 24" ELECTRIC RANGE

KEY SPEC

Product Dimension: 23 7/8" W *27 3/5" D *(35 3/5-36 7/8)" H
Fuel type: Electric
Black Polished plate glass-ceramics cooktop
Hot sureface light on when the temp over 65°C (150 °F)
4 elements :
Right Front: 6"/9"Dual Element,2200W / Left Front: 7",2000W
Right Rear: 6",1200W Left Rear:6",1200W

CONTROLS

Control type : 360°Energy regulator to control
Distinctive blue LED lights illuminate when burner use

OVEN

Oven capacity : 3.73 Cu. Ft.
Oven color : Blue porcelain with white dots
Top Heater Power : 3000W / Lower Heater Power : 2700W
Oven light qty : 1, rear
High speed true convection fan / 2 chrome plated racks
Voltage : 240V , Frequency : 60HZ
Certificate : CSA



HRE3001- 30" ELECTRIC RANGE

KEY SPEC

Product Dimension: 29 7/8" W *27 3/5" D *(35 3/5-36 7/8)" H
Fuel type:Electric
Black Polished plate glass-ceramics cooktop
Hot sureface light on when the temp over 65°C (150°F)
5 elements :
Right Front: 9"/12"Dual Element,3000W (1800W+1200W)
Left Front: 6"/9"Dual Element,3000W (1500W+1500W)
Right Rear: 6",1200W
Left Rear: 6",1200W
Center: 7",100W Warming zone

CONTROLS

Control type :360°Energy regulator to control
Distinctive blue LED lights illuminate when burner use

OVEN

Oven capacity : 4.8 Cu. Ft.
Oven color : Blue porcelain with white dots
Top Heater Power : 3500W / Lower Heater Power : 3000W
Rear Heater: 1300W
Oven light qty : 1, rear
High speed true convection fan / 2 chrome plated racks
Voltage : 240V , Frequency : 60HZ
Certificate : CSA



HRE3601- 36" ELECTRIC RANGE

KEY SPEC

Product Dimension: 35 7/8" W *27 3/5" D *(35 3/5-36 7/8)" H
Fuel type:Electric
Hot sureface light on when the temp over 65°C (150°F)
5 elements :
Right Front:9"/12"Dual Element,3000W (1800W+1200W)
Left Front:6"/9"Dual Element,3000W (1500W+1500W)
Right Rear:6",1200W / Left Rear:6",1200W
Center:7",100W Warming zone

CONTROLS

Control type :360°Energy regulator to control
Distinctive blue LED lights illuminate when burner use

OVEN

Oven capacity : 6.0 Cu. Ft.
Oven color : Blue porcelain with white dots
Top Heater Power : 3500W / Lower Heater Power : 3000W
Rear Heater: 1300W
Oven light qty : 1, rear
High speed true convection fan / 2 chrome plated racks / 6 Rack positions
Voltage : 240V , Frequency : 60HZ
Certificate : CSA





REAR CONTROL SERIES ▾

HRG3001G- 30" REAR CONTROL GAS RANGE

KEY SPEC

IProduct Dimension: 29 7/8"Wx26.33"Dx46.85"H
 IFuel type:NG/LPG
 IStainless steel front+Black coating side panels
 IBlack porcelain drip pan
 IHeavy duty continuous cast iron cooking grates
 ITotal burner quantity: 5
 I1*18 000 BTU Dual Burner / 2*12 000 BTU Single Burner
 I1*9 000 BTU Single Burner / 1*5 000 BTU Single Burner
 I5pcs high quality knobs

OVEN

IControl Panel : LED panel to control oven
 IOven capacity :4.8 Cu. Ft. / Oven color : grey porcelain with white dots
 ITop broil burner :13,500BTU Bottom bake burner :18,500BTU
 IUp to 12h delay start, timer and child lock functions
 I5 cooking modes incl. Bake, Conv. Bake, Conv. Roast, Broil and Keep Warm
 ISteam Cleaning Function
 IOven light qty :1, rear / Convection Fan: 1 / With Storage Drawer
 IVoltage :120V , Frequency : 60HZ
 ICertificate : UL

HRG3001E- 30" REAR CONTROL ELECTRIC RANGE

KEY SPEC

IProduct Dimension: 29 7/8"Wx26.33"Dx46.85"H
 IFuel type:Electric
 IStainless steel front+Black coating side panels
 IHot surface light on when the temp over 65°C (150°F)
 I5 elements :
 IRight Front:9"/12"Dual Element,3000W
 ILeft Front:6"/9"Dual Element,3000W
 IRight Rear:6",1200W / Left Rear:6",1200W
 ICenter:7",100W Warming zone / 5pcs high quality knobs

OVEN

IControl Panel : LED panel to control oven
 IOven capacity :4.8 Cu. Ft. / Oven color : grey porcelain with white dots
 IBroil Heater Power :3500W Bake Heater Power :3000W
 IUp to 12h delay start, timer and child lock functions
 I5 cooking modes incl. Bake, Conv. Bake, Conv. Roast, Broil and Keep Warm
 ISteam Cleaning Function
 IOven light qty :1, rear / Convection Fan: 1 / With Storage Drawer
 IVoltage :240V , Frequency : 60HZ
 ICertificate : UL



FRONT CONTROL SERIES

HFP3001G- 30" FRONT CONTROL OPP GAS RANGE

KEY SPEC

Product Dimension: 29 7/8"Wx26.33"Dx(35 3/5-36 7/8)" H
 Fuel type:NG/LPG
 Stainless steel front+Black coating side panels
 Black porcelain drip pan
 Heavy duty continuous cast iron cooking grates
 Total burner quantity: 4
 1*18 000 BTU Dual Burner / 1*9 000 BTU Single Burner
 1*6 000 BTU Single Burner / 1*3 000 BTU Single Burner
 4pcs high quality knobs

OVEN

Control Panel : LED panel to control oven
 Oven capacity :4.8 Cu. Ft.
 Oven color : grey porcelain with white dots
 Bottom bake burner :18,000BTU
 2 cooking modes incl. Bake and Keep Warm
 Oven light qty :1, rear / With Storage Drawer
 Voltage :120V , Frequency : 60HZ
 Certificate : CSA



HFP3001E - 30" FRONT CONTROL OPP ELECTRIC RANGE

KEY SPEC

Product Dimension: 29 7/8"Wx26.33"Dx(35 3/5-36 7/8)" H
 Fuel type:Electric
 Stainless steel front+Black coating side panels
 4 elements :
 Right Front: 1800W ,Right Rear: 1200W
 Left Front:1800W, Left Rear: 1200W
 4pcs high quality knobs

OVEN

Control Panel : LED panel to control oven
 Oven capacity :4.8 Cu. Ft.
 Oven color : grey porcelain with white dots
 Broil Heater Power :3500W Bake Heater Power :3000W
 3 cooking modes incl. Bake,Broil and Keep Warm
 Oven light qty :1, rear / With Storage Drawer
 Voltage :240V , Frequency : 60HZ
 Certificate : CSA



HFG3001G- 30" SLIDE IN GAS RANGE

KEY SPEC

Product Dimension: 29 7/8"Wx26.33"Dx(35 3/5-36 7/8)" H
 Fuel type:NG/LPG
 Stainless steel front+Black coating side panels
 Black porcelain drip pan
 Heavy duty continuous cast iron cooking grates
 Total burner quantity: 5
 1*18 000 BTU Dual Burner / 2*12 000 BTU Single Burner
 1*9 000 BTU Single Burner / 1*5 000 BTU Single Burner
 5pcs high quality knobs

OVEN

Control Panel : LCD panel to control oven
 Oven capacity :4.8 Cu. Ft. / Oven color : grey porcelain with white dots
 Top broil burner :13,500BTU Bottom bake burner :18,500BTU
 Up to 12h delay start, timer and child lock functions
 5 cooking modes incl. Bake, Conv. Bake, Conv. Roast, Broil and Keep Warm
 Steam Cleaning and Self Cleaning Function
 Oven light qty :1, rear / Convection Fan: 1 / With Storage Drawer
 Voltage :120V , Frequency : 60HZ
 Certificate : CSA



HFG3001E- 30" SLIDE IN ELECTRIC RANGE

KEY SPEC

Product Dimension: 29 7/8"Wx26.33"Dx(35 3/5-36 7/8)" H
 Fuel type:Electric
 Stainless steel front+Black coating side panels
 Hot sureface light on when the temp over 65°C (150°F)
 5 elements :
 Right Front:9"/12"Dual Element,3000W
 Left Front:6"/9"Dual Element,3000W
 Right Rear:6",1200W / Left Rear:6",1200W
 Center:7",100W Warming zone / 5pcs high quality knobs

OVEN

Control Panel : LCD panel to control oven
 Oven capacity :4.8 Cu. Ft.
 Oven color : grey porcelain with white dots
 Broil Heater Power :3500W Bake Heater Power :3000W
 Up to 12h delay start, timer and child lock functions
 5 cooking modes incl. Bake, Conv. Bake, Conv. Roast, Broil and Keep Warm
 Steam Cleaning and Self Cleaning Function
 Oven light qty :1, rear / Convection Fan: 1 / With Storage Drawer
 Voltage :240V , Frequency : 60HZ
 Certificate : CSA



RV SERIES ▾

17 / 21 INCH RV GAS RANGE - STAINLESS STEEL

FEATURES

- |Dimensions (21.09"W x 19.53"D x 16.12"H, by inches)
- |Power Source: LP Gas
- |Stainless steel front panel
- |3 pcs Intergrated aluminum burner
- |Left Burner : 6500BTU ,Right Burner :6500BTU , Front burner : 9000BTU
- |1 pc cast-iron cooking grate
- |5 pcs ABS Material Control Knobs
- |LED w/switch for illuminating the controls
- |Stainless steel Color Tower Bar Handle
- |Black porcelain drip pan and oven interior
- |1 pcs chrome plated oven rack
- |Oven Burner : 7500BTU
- |Ignition Type: piezoelectric



23 INCH RV GAS RANGE – STAINLESS STEEL

FEATURES

- |Dimensions (22.75"W x 22.95"D(with handle)x 33"H, by inches)
- |Power Source: LP Gas only
- |Foldable glass cover
- |3 pcs Intergrated aluminum burner
- |Left Burner : 6000BTU ,Right Burner :6000BTU , Front burner : 9500BTU
- |1pc iron-wire cooking grate with rubber grommets
- |12V Battery powered, 12V power cord at the right bottom
- |LED w/switch for illuminating the controls
- |Black porcelain drip pan and oven interior
- |1 pc chrome plated oven rack
- |1pc Halogen Light
- |12,000 BTU bottom tube burner
- |3.25 cubic feet overall oven capacity,
- |With Storage Drawer
- |UL certificate



23 INCH RV GAS RANGE – BLACK PAINTING

FEATURES

- |Dimensions (22.75"W x 22.95"D(with handle)x 33"H, by inches)
- |Power Source: LP Gas only
- |Black coating finishing
- |Foldable glass cover
- |3 pcs Intergrated aluminum burner
- |Left Burner : 6000BTU ,Right Burner :6000BTU , Front burner : 9500BTU
- |1pc iron-wire cooking grate with rubber grommets
- |12V Battery powered, 12V power cord at the right bottom
- |LED w/switch for illuminating the controls
- |Black porcelain drip pan and oven interior
- |1 pc chrome plated oven rack
- |1pc Halogen Light
- |12,000 BTU bottom tube burner
- |3.25 cubic feet overall oven capacity,
- |With Storage Drawer
- |UL certificate



24 INCH RV GAS RANGE

FEATURES

- |Dimensions (23.9"Wx24"Dx35.6-36.6"H, by inches) (Excl. Handle)
- |UL certificate
- |Voltage: 110V
- |Fuel: LP only
- |Available in both black and stainless steel
- |Black porcelain drip pan
- |Total 4 burner with screws fix
- |Right Front: 12,000BTU ,Right Rear: 3,500BTU
- |Left Front: 9,000BTU, Left Rear: 6,000BTU
- |2 pcs cast iron Dishwasher-friendly cooking grates
- |5 pcs Control Knobs with LED light
- |3.25 cubic feet oven overall capacity
- |Black porcelain oven interior
- |1 pc nickel plated oven rack
- |12,000 BTU bottom tube burner
- |1 pc Halogen Light
- |With Storage Drawer





ARTIGIANO DESIGN

KITCHEN APPLIANCES

THOR
KITCHEN®

VENTILATION

Bring more beauty, more light, and more powerful function into your kitchen.
Hyxion hood with powerful performance and minimal noise.



RANGE HOOD

TRH05- 48" UNDER CABINET RANGE HOOD

KEY SPEC

Product Dimension: 48"W*22"D*16 1/2"H
 Duct diameter size: 8" round
 Color:Stainless steel
 Filter type: 430SS Baffle filter
 Construction: under cabinet
 Lighting: LED light*3
 Control type: button
 Blower ratings:
 530CFM&50dBA for Low
 700CFM&59dBA for Medium
 1,000CFM&37dBA for High
 Voltage:110-120V, Frequency:60HZ
 Certificate:ETL



TRH07- 30"/36" WALL MOUNT RANGE HOOD

KEY SPEC

Product Dimension: 30"/36"W*19 3/4"D*33 1/2"H
 Duct diameter size: 6" round
 Color:Stainless steel
 Filter type: 430SS Baffle filter
 Construction: wall mount
 Lighting: LED light*2
 Control type: led panel
 Blower ratings:
 330CFM&41.5 dBA for Low
 420CFM&47.5 dBA for Medium
 600CFM&56 dBA for High
 Voltage:110-120V, Frequency:60HZ
 Certificate:ETL



TRH06- 30"/36"/48" UNDER CABINET RANGE HOOD

KEY SPEC

Product Dimension: 30"/36"/48"W*22"D*11"H
 Duct diameter size: 8" round
 Color:Stainless steel
 Filter type: 430SS Baffle filter
 Construction: under cabinet
 Lighting: LED light*3 for 48" and 2 for 30"/36"
 Control type: button
 Blower ratings:
 530CFM&50dBA for Low
 700CFM&59dBA for Medium
 1,000CFM&37dBA for High
 Voltage:110-120V, Frequency:60HZ
 Certificate:ETL



TRH-P- WALL MOUNT RANGE HOOD

KEY SPEC

Product Dimension: 30/36/48*20 1/2"*13 7/8"
 Duct diameter size: 8" round
 Color:Stainless steel
 Filter type: 430SS Baffle filter
 Construction: Wall Mount
 Lighting: LED light*3 for 48" and 2 for 30"/36"
 Control type: button
 Noise level: 64.6 dB (Max)/58 dB (Mid)/54 dB (Min)
 Blower ratings:
 530CFM&50dBA for Low
 700CFM&59dBA for Medium
 1,000CFM&37dBA for High
 Damper included
 Voltage:110-120V, Frequency:60HZ
 Certificate:ETL





COOKTOPS

Precision, power, and versatility for the professional chef; flush, seamless design for the modern entertainer.




GAS COOKTOP ▼

LGC3001- 30" GAS COOKTOP

KEY SPEC

!Outside(Max.) Cooktop Dimension: 30"W*21"D*4 2/5"H
!Cut-out Dimension: 28 5/8"W*19 1/2"D
!Fuel type:NG/LPG
!LP Conversion Kit Including
!Color:Stainless steel
!Construction: built-in
!Cast Iron 2-Piece Grates
!Right Front:9000 BTU, Right Rear:9000 BTU
!Left Front: 18000 BTU, Left Rear: 10000 BTU
!Voltage:110-120V, Frequency:60HZ
! Certificate:CSA



TGC3001- 30" GAS COOKTOP

KEY SPEC

!Outside(Max.) Cooktop Dimension: 30"W*21"D*4 2/5"H
!Cut-out Dimension: 28 5/8"W*19 1/2"D
!Fuel type:NG/LPG
!LP Conversion Kit Including
!Color:Stainless steel
!Construction: built-in
!Distinctive blue LED lights illuminate when burner use
!Cast Iron 2-Piece Grates
!Automatic Electric Ignition
!Right Front:9000 BTU, Right Rear:9000 BTU
!Left Front: 18000 BTU, Left Rear: 12000 BTU
!Voltage:110-120V, Frequency:60HZ
! Certificate:CSA



LGC3601- 36" GAS COOKTOP

KEY SPEC

!Outside(Max.) Cooktop Dimension: 36"W*21"D*4 2/5"H
!Cut-out Dimension: 34 5/8"*19 1/2"D
!Fuel type:NG/LPG
!LP Conversion Kit Including
!Color:Stainless steel
!Construction: built-in
!Cast Iron 3-Piece Grates
!Right Front:6000 BTU, Right Rear:4000 BTU
!Center Front:18000 BTU, Center Rear:12000 BTU
!Left Front: 18000 BTU, Left Rear: 12000 BTU
!Voltage:110-120V, Frequency:60HZ
! Certificate:CSA



TGC3601- 36" GAS COOKTOP

KEY SPEC

!Outside(Max.) Cooktop Dimension: 36"W*21"D*4 2/5"H
!Cut-out Dimension: 34 5/8"*19 1/2"D
!Fuel type:NG/LPG
!LP Conversion Kit Including
!Color:Stainless steel
!Construction: built-in
!Distinctive blue LED lights illuminate when burner use
!Cast Iron 2-Piece Grates
!Automatic Electric Ignition
!Right Front:6000 BTU, Right Rear:6000 BTU
!Center Front:18000 BTU, Center Rear:12000 BTU
!Left Front: 18000 BTU, Left Rear: 12000 BTU
!Voltage:110-120V, Frequency:60HZ
! Certificate:CSA




ELECTRIC COOKTOP ▼

HEC304- 30" ELECTRIC COOKTOP

KEY SPEC


IProduct Size(inch) (W*D): 30*21"
 ICut out Size(inch) (W*D*H): 28 13/16**19 7/16** 1 13/16"
 INine power stage setting/99 min Timer/Child lock/flex zone
 IFailure display function
 IAuto switch off safety
 IResidual heat indicator
 ITotal 8400W
 ILeft rear zone: 1600W Left Front zone: 1600W
 IBridge Burner 400W (Sync working together in 3600W)
 IMiddle zone: 3600W(1200+1200+1200)
 IRight Front zone: 1200W
 IBlack Kanger Vitroceramic glass
 IVoltage/frequency: 240V/60Hz
 IControl way: Slide touch
 ICertification: ETL, RoHS/Reach compliance



HEC365- 36" ELECTRIC COOKTOP

KEY SPEC

IProduct Size(inch) (W*D): 36*21"
 ICut out Size(inch) (W*D*H): 34 7/16**19 7/16** 1 13/16"
 INine power stage setting/99 min Timer/Child lock/flex zone
 IFailure display function
 IHigh and low voltage protect
 IAuto switch off safety
 IResidual heat indicator
 ITotal 10200W
 ILeft rear zone: 1600W Left Front zone: 1600W
 IBridge Burner 400W (Sync working together in 3600W)
 IMiddle zone: 3600W(1200+1200+1200)
 IRight Rear zone: 1200W Right Front zone: 1800W
 IBlack Kanger Vitroceramic glass
 IVoltage/frequency: 240V/60Hz
 IControl way: Slide touch
 ICertification: ETL, RoHS/Reach compliance



INDUCTION COOKTOP ▼

HIC304- 30" INDUCTION COOKTOP

KEY SPEC

IProduct Size(inch) (W*D*H) 30" *21" *2 1/4"
 ICut out Size(inch) (W*D) :28 3/4 " * 9 5/16"
 I99 min timer /Child lock /4 booster/ Keep warm/ Pause function
 I9 levels power setting
 IIndividual residual heat indicator
 I120min Automatic safety switch off
 IControl way: Slide touch Slide
 ITotal 7200W
 ILeft rear zone: 6 7/8" 1200/1500W
 ILeft Front zone: 9 1/16" 1800/2100W
 IRight rear zone: 11" 2300/3700W
 IRight Front zone: 6 7/8" 1200/1500W
 IVoltage/frequency: 240V/60Hz
 ICertification: ETL, RoHS/Reach compliance



HIC365- 36" INDUCTION COOKTOP

KEY SPEC

IProduct Size(inch) (W*D*H) 36" *21" *2 1/4"
 ICut out Size(inch) (W*D) :33 7/8" *9 5/16"
 I99 min timer/Child lock /4 booster/ Keep warm/ Pause function
 I9 levels power setting
 IIndividual residual heat indicator
 I120min Automatic safety switch off
 IControl way: Slide touch slide
 ITotal 9300W
 ILeft rear zone: 6 7/8" 1200/1500W
 ILeft Front zone: 9 1/16" 1800/2100W
 IRight rear zone: 9 1/16" 1800/2100W
 IRight Front zone: 6 7/8" 1200/1500W
 ICentral zone: 11" 2300/3700W
 IVoltage/frequency: 240V/60Hz
 ICertification: ETL, RoHS/Reach compliance





RANGETOPS

Hyxion rangetops offer amazing versatility and feature the largest available cooking surface of any worktop. The sleek design is inspired by commercial kitchens. Available in 36" and 48" versions, together with a variety of versatile burner configurations, these powerful models are the perfect pairing with any Hyxion built-in oven.



GAS RANGETOP ▼

HRT3601U- 36" GAS RANGETOP

KEY SPEC

- !Product Dimension: 35 7/8"Wx27½"Dx9 13/64"H
- !Automatic Electric Ignition
- !Total burner quantity: 6
- !1*15 000 BTU Dual Burner
- !2*18 000 BTU Single Burner
- !3*12 000 BTU Single Burner
- !Black porcelain drip pan
- !Cast iron cooking grates
- !Zinc control knobs quantity: 6pcs
- !Distinctive blue LED lights illuminate when burner use
- !Electrical Requirements:120V/60Hz/ 20A
- !CSA certificated



HRT4806U- 48" GAS RANGETOP

KEY SPEC


- !Product Dimension: 35 7/8"Wx27½"Dx9 13/64"H
- !Automatic Electric Ignition
- !Total burner quantity: 7
- !3*15 000 BTU Dual Burner
- !3*18 000 BTU Single Burner
- !1*15 000 BTU Built In Stainless Steel Griddle
- !Black porcelain drip pan
- !Cast iron cooking grates
- !Zinc control knobs quantity: 6pcs
- !Distinctive blue LED lights illuminate when burner use
- !Electrical Requirements:120V/60Hz/ 20A
- !CSA certificated



LRT3601U- 36" GAS RANGETOP

KEY SPEC

- !Product Dimension: 35 7/8"Wx27½"Dx9 13/64"H
- !Total burner quantity: 6
- !2*18 000 BTU Single Burner
- !2*12 000 BTU Single Burner
- !2*9 000 BTU Single Burner
- !Black porcelain drip pan
- !Cast iron cooking grates
- !ABS control knobs quantity: 6pcs
- !Knob with blue LED light above
- !Electrical Requirements:120V/60Hz/ 20A
- !CSA certificated



LGC1501- 15" MODULE GAS RANGETOP

KEY SPEC

- !Overall dimension:15"W*19 1/2"D*6"H
- !Full stainless steel construction
- !Stainless Steel drip pan
- !Heavy duty cooking grate with wok ring
- !Distinctive blue LED lights illuminate when burner use
- !25,000BTU powerful brass burner
- !Electronic ignition with thermocouple flameout protection
- !Without Certificate





BUILT-IN OVENS

The recipe for a perfect meal? Take one part personal inspiration and add a professional's touch. With True Convection, our wall ovens promise the perfect balance of air movement and heat distribution for perfect results.



WALL OVEN ▼

HEW3001- 30" ELECTRIC SINGLE WALL OVEN

KEY SPEC

|Outside(Max.) Dimension: 30"W*24.8"D*29.29"H
 |Cut-out Dimension: 28.54"W*24"D*27.56"H
 |Fuel type:Electric
 |Construction: built-in
 |Controls: Electric touch display
 |Oven capacity :4.8 Cu. Ft.
 |Oven color : Gray porcelain with white dots
 |Top Heater Power :3500W
 |Lower Heater Power :3000W
 |Convection Fan
 |Oven light qty :1, rear
 |2 chrome plated racks,6 Rack stops
 |Oven Functions: Bake,Convection Bake,Broil,Convection Roast, Keep Warm
 |Other Function: Kitchen Timer,Child Lock,Delay Start
 |Self Clean
 |Voltage :240V , Frequency : 60HZ
 |Certificate : CSA



HDO3001- 30" ELECTRIC DOUBLE WALL OVEN

KEY SPEC

|Outside(Max.) Dimension: 29 7/8"W*24 1/2"D*50 15/16"H
 |Cut-out Dimension: 28.5"-29"W*23.5"D*48 15/16"-50 1/4"H
 |Fuel type:Electric
 |Construction: built-in
 |Controls:TFT panel

UP/DOWN OVEN

|Oven capacity :4.8 Cu. Ft.
 |Oven color : Gray porcelain with white dots
 |Top Heater Power :3500W
 |Lower Heater Power :3500W
 |Rear Heater Power :800W
 |Convection Fan
 |Oven light qty :1, rear
 |2 chrome plated racks,6 Rack stops
 |Oven Functions: Bake,Convection Bake,Broil,Convection Roast, Keep Warm,Air Fry
 |Other Function: Kitchen Timer,Child Lock,Delay Start
 |Self Clean
 |Voltage :240V , Frequency : 60HZ
 |Certificate : CSA



WARM DRAWER ▼

HWD3002- 30" BUILT IN WARM DRAWER

KEY SPEC

|Outside(Max.) Dimension: 30" W x 10 1/4" H x 24 11/16"
 |Fuel type:Electric
 |Construction: built-in
 |500W Power
 |Temperature settings from 86 to 185 degrees
 |Hidden LCD Display and Controls
 |Functions: PROOF/PLATES/CUPS/KEEP WARM
 |Humidity Control
 |Soft Close Drawer
 |Removable serving pan rails
 |Drawer Open Alarm
 |Silicone drawer liner
 |Sleek Design fits seamlessly in any kitchen
 |Voltage :120V , Frequency : 60HZ
 |Certificate : CSA





ARTIGIANO DESIGN

KITCHEN APPLIANCES

THOR
KITCHEN®

DISHWASHERS

Don't let the dishes stop you from adding courses or more guests - Hyxion makes the end of every event nothing short of spotless.





DISHWASHER ▼

HDW2401SS- 24" TOP CONTROL DISHWASHER

KEY SPEC

- Product Dimension: 24" Wx24½"Dx33½"H
- Capacity: 14 place settings
- Noise level: 45dB
- Rated Power Usage: Wash motor 95W Heater 840W
- Four spray arms
- Outlet hose length: 59"
- 24 inch Semi-built in style
- Delayed Start (Pre-programmed 1-24 hrs)
- Smart Wash System
- 6 Cycles(Pots and Pans/Normal Wash/Crystal/Quick Wash/Rinse Only/Energy Saver)
- 7 Options(Air Exchange/Steam Wash/Vortex Wash/Heated Dry/Sanitize/High Temp Wash/Child Lock)
- Electrical Requirements: 120V/60HZ



LDW2401SS- 24" FRONT CONTROL HYBRID DISHWASHER

KEY SPEC

- Product Dimension: 24" Wx24½"Dx33½"H
- Capacity: 12 settings (max 14 settings)
- SS interior door and tub shell with plastic base
- Pocket Handle Design
- Mechanical Front Controls
- Tall Tub Design
- Noise level: 52dB
- Energy Consumption 240kw h /annum
- Water Consumption 3.2 G/per cycle
- Front Indicator on Outer Door
- Exposed heater with forced drying
- 5 Cycles(Heavy/Normal/Delicate/Quick/Rinse)
- 4 Options(Delay/Heated Dry/Sanitize/Child Lock)
- Electrical Requirements: 120V/60HZ





KITCHEN APPLIANCES

THOR
KITCHEN

REFRIGERATION

Designed both for seamless integration and stand-out style, elevate refrigeration performance with cutting-edge technology that preserves food and beverage longer.



ICE MAKER ▼

TIM1501

15" WIDE BUILT-IN AUTOMATIC INDOOR ICE MAKER

KEY SPEC

- Product Dimension: 15"Wx23.6"Dx33.5"H
- Input Power:12.2 kWh/100 lbs of ice
- Refrigerant :R134a, 3.88 oz
- Ice-making capacity:50 lbs/day
- Maximum ice storage: 25lbs
- Features: Automatic Ice Level Control/Shutoff,Filtered Ice, Removable Basket
- Ice Shape: Cube
- Ice cube dimensions:7/8"x 7/8" x 7/8"
- Lighting: White LED Interior Light
- Accessories: Water supply hose. Drain hose, Ice scoop
- Electrical Requirements: 110V-120V/60HZ



KITCHEN APPLIANCES

THOR
KITCHEN®

REFRIGERATOR

TRF24U- 24" DRAWER FRIDGE

KEY SPEC

- IProduct Size (W*D*H): 23.6x26.5x34 Inch
- IStainless steel storage drawer
- IWhite and Blue LED light
- IElectrical temperature control with LED display
- IPower Input: 80W
- ITemperature Range: 33.8°F ~ 46.4°F / 1 ~ 8°C
- IType of Cooling: No frost with interior fan circulating
- ICooling System: Compressor Cooling
- IVolume: 5.4cuft / 153L
- ICompressor cooling
- INo frost interior fan circulating
- IPower Voltage: 110V or 220V



TRF3602- 36 INCH FRENCH-DOOR REFRIGERATOR

KEY SPEC

- IProduct Dimension: 35.8*29.02*69.88 in
- IType: French door side by side
- INet Capacity:
- ITotal(L/cu.ft): 22.5 cu. ft.
- IFreezer(L/cu.ft): 6.5 cu. ft.
- IRefrigerator(L/cu.ft): 16 cu. ft.
- Ice-maker: Automatic
- Ice capacity: 4.0 lbs./24h
- IGallon size: 6 gallon bins
- ILighting: LED (Top and sides)
- INoise: 45dB
- ICooling system: Single
- IHumidity control: Yes
- IElectrical Requirements: 110V/60HZ
- IEnergy: E-Star
- IUL certificated



TRZ24U- 24" DRAWER FREEZER

KEY SPEC

- IProduct Size (W*D*H): 23.6x23.6x34.3 Inch
- IStainless steel storage drawer
- IWhite and Blue LED light
- IElectrical temperature control with LED display
- IPower Input: 80W
- ITemperature Range: 14°F ~ -0.4°F / -10 ~ -18°C
- IType of Cooling: No frost with interior fan circulating
- ICooling System: Compressor Cooling
- IVolume: 3.36cuft / 95L
- ICompressor cooling
- INo frost interior fan circulating
- IPower Voltage: 110V or 220V



TRF3601FD- 36 INCH FRENCH-DOOR REFRIGERATOR

KEY SPEC

- IProduct Dimension: 35 13/16" x 29" x 69 13/16"
- IType: French door side by side
- INet Capacity:
- ITotal(L/cu.ft): 21.6 cu. ft.
- IFreezer(L/cu.ft): 6.49cu. ft.
- IRefrigerator(L/cu.ft): 12.64 cu. ft.
- IFlex Drawer Capacity: 2.9 cu.ft
- IRefrigerator Temp: 34°F - 44°F
- IFreezer Temp: -7°F to 7°F
- IFlex Drawer Temp: 24°F - 41°F
- ICooling system: triple
- IIndividual Ice Maker Cooling Control
- Ice and Water Dispenser / Automatic Ice Maker
- Ice capacity: 4.4 lbs./24h
- Water Filtration Including / Showcase LED lighting
- INoise: 45dB / Humidity control: Yes
- IElectrical Requirements: 110V/60HZ / Energy: E-Star
- IUL certificated



KITCHEN APPLIANCES



PANEL READY REFRIGERATOR ▾

TRF30BI- 30 INCH BUILT-IN BM

REFRIGERATOR

- l True integrated installation
- l 90-degree opening flush hinge fridge
- l Large and easy to read digital display
- l Soft close crisper
- l Soft close large pantry drawer,
- l adjustable temp from -3C to 5C (separate control) Sabbath mode
- l Height adjustable cantilever shelves
- l Spill-proof glass shelves
- l LED lighting
- l Field Reversible doors
- l Ultra quiet 43 dB(A)
- l Panel ready: Germany Hettichi Hinge

FREEZER

- l Large freezer drawer / Metal freezer drawer
- l Automatic ice-maker and water dispenser optional

TECHNICAL INFORMATION

- l Dimensions (HxWxD) (in): 831/2 x 293/4 x 23 5/16
- l Depth without panel and handle



TRF30BIF- 30 INCH BUILT-IN ALL REFRIGERATOR

REFRIGERATOR

- l True integrated installation
- l 90° opening flush hinge
- l Large and easy to read digital display
- l Soft close drawers for easy and controlled storage
- l Refrigerator adjustable temp from +35°F(2°C)to+46°F(8°C)
- l Chiller zone adjustable temp from+30°F(-1°C)to+41°F(5°C)
- l Sabbath mode , Holiday mode, ECO mode, Showroom mode
- l Height adjustable cantilever glass shelves
- l LED lighting
- l Ultra quiet 43 dB(A)
- l Interior filtered water dispenser including
- l Panel ready: Germany Hettichi Hinge

CABINET WOOD PANEL CUTOUT DIMENSIONS

- l Product dimensions (HxWxD) (in) : 83 9/16 x 29 3/4 x 24 1/4
- l Wood panel cutout dimensions (HxWxD) (in) : 84 x 30 x 25
- l Depth with panel and without handle

DOOR WOOD PANEL CUTOUT DIMENSIONS

- l Door dimensions (HxW) (in) : 70 1/8 x 29 49/64
- l Door panel cutout (HxWxD) (in) : 79 15/16 x 29 3/4 x 3/4



TRF36BI- 36 INCH BUILT-IN FBM

REFRIGERATOR

- l True integrated installation
- l 90-degree opening flush hinge fridge
- l Large and easy to read digital display
- l Soft close crisper / Soft close large pantry drawer
- l Refrigerator adjustable temp from +35°F(2°C)to+46°F(8°C)
- l Chiller zone adjustable temp from+30°F(-1°C)to+41°F(5°C)
- l Freezer adjustable temp from +5°F (-15°C)to-11°F(-24°C).
- l Sabbath mode , Holiday mode, ECO mode
- l Height adjustable cantilever shelves
- l Spill-proof glass shelves
- l LED lighting / Ultra quiet 43 dB(A)
- l Panel ready: Germany Hettichi Hinge

FREEZER

- l Large freezer drawer / Metal freezer drawer
- l Automatic ice-maker and water dispenser optional

TECHNICAL INFORMATION

- l Product dimensions (HxWxD) (in) : 83 9/16 x 35 3/4 x 23 5/16
- l Depth without panel and handle



TRF18BIF- 18 INCH BUILT-IN ALL FREEZER

REFRIGERATOR

- l True integrated installation
- l 90° opening flush hinge
- l Large and easy to read digital display
- l Soft close drawers for easy and controlled storage
- l Adjustable temperature from +5°F (-15°C)to-11°F(-24°C).
- l Sabbath mode , Holiday mode, ECO mode, Showroom mode
- l Height adjustable cantilever glass shelves
- l LED lighting
- l Ultra quiet 43 dB(A)
- l Interior filtered water dispenser including
- l Panel ready: Germany Hettichi Hinge

CABINET WOOD PANEL CUTOUT DIMENSIONS

- l Product dimensions (HxWxD) (in) : 83 9/16 x 17 3/4 x 24 1/4
- l Wood panel cutout dimensions(HxWxD) (in) : 84 x 18 x 25
- l Depth with panel and without handle

DOOR WOOD PANEL CUTOUT DIMENSIONS

- l Door dimensions (HxW) (in) : 70 1/8 x 17 1/8
- l Door panel cutout (HxWxD) (in) : 79 15/16 x 17 3/4 x 3/4



—
**WINE
COOLER**



WINE COOLER ▾



KITCHEN APPLIANCES



TWC1501- 15 INCH 33-BOTTLE WINE COOLER

KEY SPEC

- |Product Dimension: 15" Wx22½"Dx34 1/4"
- |Built-in & free-standing installation
- |Capacity Bottle --33 Bottles
- |Refrigerant R600a
- |Dual Temperature zone design: 41-68°F
- |With Sabbath mode
- |Compressor-powered cooling
- |Wine Cooler Shelf Material: beech wood
- |Blue LED Interior Light with switch
- |Seamless ss door frame and handle
- |Blue LED Touch pad digital control readout
- |No frost with interior an circulating
- |Security lock
- |Door open alarm
- |Electrical Requirements: 115V/60HZ
- |ETL Certificate



TWC2402- 24 INCH 42-BOTTLE WINE COOLER

KEY SPEC

- |Product Dimension: 24" Wx22½"Dx32½"H
- |Built-in & free-standing installation
- |Capacity Bottle --42 Bottles
- |Refrigerant R600a
- |Dual Temperature zone design: 40°F -65°F
- |Compressor-powered cooling
- |Ten Chromed metal shelves
- |Blue LED Interior Light with switch
- |Tempered & smoked double pane glass door
- |Seamless ss door frame and handle
- |Blue LED Touch pad digital control readout
- |Adjustable thermostat
- |No frost with interior fan circulating
- |Electrical Requirements: 115V/60HZ
- |ETL Certificate



TWC2403- 24 INCH 162-BOTTLE WINE COOLER

KEY SPEC

- |Product Dimension: 23.6" Wx24.8"Dx74"H
- |Built-in & free-standing installation
- |Seamless stainless steel door frame
- |Capacity Bottle --162 Bottles
- |Refrigerant R600a
- |Upper zone: 41-56°F; Lower zone: 54-64°F
- |Compressor-powered air cooling
- |Auto defrost
- |11 shelves and one drawer
- |Wine Cooler Shelf Material: beech wood
- |No frost with interior fan circulating
- |Electrical temperature control with LED display;
- |Double pane glass door;
- |Soft-on LED lighting illuminates gradually
- |Three colors of light, Demo Mode, Sabbath Mode, With Lock
- |Electrical Requirements: 115V/60HZ
- |ETL Certificate



TBC2401DI- 24 INCH 116-BOTTLE WINE-BEVERAGE COOLER

KEY SPEC

- |Product Dimension: 23.43x23.82x34.25 in.
- |Built-in & free-standing installation
- |Capacity Bottle --21 bottles wine cooler 95 bottle beverage
- |Refrigerant R600a
- |Dual Temperature zone design: Left zone 41-65°F / Right Zone 36-50°F
- |Compressor-powered cooling
- |Seamless S.S. Door & S.S. Handle
- |Heating Element for Winter Function
- |Active Carbon Filter for Air Purification
- |No Frost with 2 Interior Fans Circulating
- |Touch Control & LED Lights
- |Temperature & Door Open Alarm
- |1 Top Light and 3 side lights for Left/Right Zone Respectively
- |Right: 3 Wire Shelves (150mm out) with Wooden Fronts
- |Blue LED Touch pad digital control readout
- |Electrical Requirements: 110V-120V/60HZ
- |ETL certificated





WINE COOLER ▾

TBR24U- 24 INCH BACKLIGHT BEVERAGE COOLER

KEY SPEC

- Product Size (W*D*H): 23 7/16" * 23 7/16" * 34 1/4"
- Built-in & free-standing installation
- Stainless steel door with wide cover
- Volume: 5.3cuft / 150L / 196cans
- White LED interior backlight / Stainless Steel inner
- Two Adjustable stainless steel shelves with bracket
- Electrical temperature control with LED display
- Power Input: 80W / 0.7A
- Temperature Range: 37.4°F ~ 64.4°F / 3 ~ 18°C
- Type of Cooling: No frost with interior fan circulating
- Cooling System: Compressor Cooling
- Noise Level dB(A): 42dB
- Power Voltage: 110V/50Hz
- ETL / DOE Certificate



TWC24UL- 24 INCH BACKLIGHT WINE COOLER

KEY SPEC

- Product Size (W*D*H): 23 7/16" * 23 7/16" * 34 1/4"
- Built-in & free-standing installation
- Stainless steel door with wide cover
- Volume: 5.3cuft / 152L / 45 bottles
- Amber LED interior backlight / Stainless Steel inner
- 2 large+2small shelves made by wood or steel with stainless steel front
- Electrical temperature control with LED display
- Power Input: 80W / 0.7A
- Temperature Range: 41°F ~ 64.4°F / 5 ~ 18°C
- Type of Cooling: No frost with interior fan circulating
- Cooling System: Compressor Cooling
- Noise Level dB(A): 42dB
- Power Voltage: 110V/50Hz
- ETL / DOE Certificate





WHERE WE ARE



ARTIGIANO LLC



HC ARTIGIANO LLC
www.ArtigianoDesign.com
ADDRESS: 217 N WESTMONTE DR STE
2000, ALTAMONTE SPRINGS, FL 32714
USA



**FUJIAN PROVINCES CHUANG
XIN WOOD INDUSTRY LIMITED**
www.FujianWood.com
ADDRESS: XINCHUAN INDUSTRIAL
PARK OF CHUANSHI TOWN
JIANOU, FUJIAN
CHINA



ARTIGIANO LLC

contact@HCArtigiano.com
 HCArtigiano.com
 217 N Westmonte Dr Ste
2000, Altamonte Springs
FL 32714
USA



H2 EMPREENDIMENTOS
ADDRESS: Salgado filho, 2120
Sala 1303
Guarulhos - SP
CEP:07115-000
BRASIL

**VIET NAM OWEN
CABINETS CO., LTD**
www.OwenCabinets.net
ADDRESS: LOT A-38-CN, D3 STREET
BAY BANG IP, LAI UYEN TOWN.
BINH DUONG PROVINCE
VIETNAM



**BUSINESS NESTING
(HONG KONG) LIMITED**
www.BusinessNesting.com
ADDRESS: ROOM 1003, 10/F., 1 LIPPO
CENTRE, 89 QUEENSWAY
ADMIRALTY - HONG KONG

